

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

school of hygiene and public health of Johns Hopkins University. About three weeks ago the writer moved his department, that of biometry and vital statistics in the school of hygiene, into McCoy Hall, occupying the whole of the second floor of that building. On Thanksgiving Eve the writer had completed the removal to this building of all his private scientific library comprising roughly some fifteen thousand reprints and pamphlets. In the fields of biometry and genetics this library was in some respects unique owing to the fact that the writer began his activities in the field of biometry nearly twenty years ago when that branch of biological science was just getting under way, and consequently there was a completeness to the collection in that field which makes its total loss a catastrophe of overwhelming significance to the writer's scientific work.

In addition all the accumulated unpublished records of the writer's work for the past twenty years were completely destroyed. This included the records of his work in the genetics of poultry for ten years at the Maine Agricultural Experiment Station.

This second loss is, of course, wholly irremediable. The purpose of this note is to appeal to workers in the fields of genetics, biometry and vital statistics, to help in remedying the first loss in so far as it can be remedied by sending to the writer duplicates of such of their reprints as they may have available and which they were kind enough to send him before. Any help in this direction will be deeply appreciated.

RAYMOND PEARL

School of Hygiene and Public Health, The Johns Hopkins University

SOMATIC VARIATION

THE undersigned are making a study of somatic variation, using for this purpose the duplicated portions of double monsters. We are especially interested at the present time in securing photographs or accurate sketches showing the color markings on double-headed calves or other double monsters in mammals characterized by color patterns. Any information as to the existence of such specimens

from which records of this nature might be obtained would be greatly appreciated.

LEON J. COLE, JESSIE MEGEATH

DEPARTMENT OF GENETICS, UNIVERSITY OF WISCONSIN

STEINDACHNERIDION

In 1888 we created the genus Steindachneria for three species of large catfishes from eastern Brazil; St. amblyura E. and E., from the Rio Jequitinhonha, St. doceana E. and E., from the Rio Doce and St. parahubæ Steindachner, from the Rio Parahyba. Our attention was at once called to the fact that Goode, in Agassiz' "Three Cruises of the Blake," had mentioned with a brief description and no type, if we recall correctly, a Macrurid under the name Steindachneria. With the rules governing nomenclature in those benighted times Goode's name had no standing and we wrote Goode calling his attention to the fact. Goode replied October 1, 1888: "Steindachneria has never been published, though the diagnosis of the genus has been lying in manuscript for nearly two years. So we will change the name. It is not of the least consequence."

When Goode and Bean's "Oceanic Ichthyology" was issued it appeared that Goode's intentions in regard to the Macrurid Steindachneria had not been carried out. There upon² we proposed the name Steindachnerella for the Macrurid.

Times and rules have changed. Dr. David Starr Jordan recently wrote us the catfish must have a new name. We sent him the letter of G. Brown Goode whereupon Jordan replies, "Goode's letter is very nice and characteristic. But under our present rules a nomen seminudus holds. . . . I recommend that you give a new name to the South American genus."

Reluctantly and with effort we submit to changing opinion, realizing that it is a long time since we began to give names to the fresh water fishes of South America. There-

¹ Proc. Cal. Acad. Sci. (2), I., 137.

² Am. Naturalist, 1897, p. 159.